



## WCAG 2.1 Level AA Success Criteria

# COMPLIANCE AUDIT

For studentmadeutpb.com | Verdict: **Compliant**

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **studentmadeutpb.com** as of Fri Sep 01 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	5	0	100%

### Successful Elements

```
<span class="sqs-announcement-bar-close " role="button" tabindex="0" ><span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"> Close Announcement </span></span>
```

```
<button class="user-items-list-carousel__arrow-button user-items-list-carousel__arrow-button--left " data-animation-role="button" role="button"> <span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;colo...
```

```
<button class="user-items-list-carousel__arrow-button user-items-list-carousel__arrow-button--right " data-animation-role="button" role="button"> <span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;col...
```

```
<div class="sqs-video-icon acsb-bg-image " role="button" tabindex="0" ><span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"> Play </span></div>
```

```
<button class="newsletter-form-button sqs-system-button sqs-editable-button-on-layout sqs-editable-button-style sqs-editable-button-shape sqs-button-element--primary " type="submit" value="Sign Up" role="button" style=";background-color:#ffffff!impo...
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	5	0	100%
---	---	-----	---	---	------

### Successful Elements

```
<span class="sqs-announcement-bar-close " role="button" tabindex="0" ><span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"> Close Announcement </span></span>
```

```
<button class="user-items-list-carousel__arrow-button user-items-list-carousel__arrow-button--left " data-animation-role="button" role="button"> <span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;colo...
```

```
<button class="user-items-list-carousel__arrow-button user-items-list-carousel__arrow-button--right " data-animation-role="button" role="button"> <span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;col...
```

```
<div class="sqs-video-icon acsb-bg-image " role="button" tabindex="0" ><span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"> Play </span></div>
```

```
<button class="newsletter-form-button sqs-system-button sqs-editable-button-layout sqs-editable-button-style sqs-editable-button-shape sqs-button-element--primary " type="submit" value="Sign Up" role="button" style=";background-color:#ffffff!impo...
```

3 [Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

45

0

100%

### Successful Elements

```
<a class="sqs-announcement-bar-url" href="/meet-the-managers" aria-label="announcement-bar-text-inner-id" data-acsb-scrape-url="https://www.studentmadeutpb.com/meet-the-managers"></a>
```

```
<a class="icon icon--fill icon--sm header-icon header-icon-border-shape-one header-icon-border-style-outline" href="https://www.instagram.com/studentmade_utpb/" target="_blank" data-acsb-tooltip="New Window" > <span class=...
```

```
<a class="icon icon--fill icon--sm header-icon header-icon-border-shape-one header-icon-border-style-outline" href="mailto:studentmadeutpb@gmail.com" target="_blank" aria-label="studentmadeutpb@gmail.com" data-acsb-tooltip="New Window" > ...
```

```
<a class="icon icon--fill icon--sm header-icon header-icon-border-shape-one header-icon-border-style-outline" href="https://www.tiktok.com/@studentmadestore" target="_blank" data-acsb-tooltip="New Window" > <span class=" " ...
```

```
<a class="icon icon--fill icon--sm header-icon header-icon-border-shape-one header-icon-border-style-outline" href="https://www.linkedin.com/company/student-made-store" target="_blank" data-acsb-tooltip="New Window" > <spa...
```

```
<a class="icon icon--fill icon--sm header-icon header-icon-border-shape-one header-icon-border-style-outline" href="https://podcasts.apple.com/us/podcast/student-made-stories/id1665775860?app=podcast" target="_blank" data-acsb-tooltip="New Window" ...
```

```
<a id="site-title" href="/" data-animation-role="header-element" style="background-color:#ffffff!important;color:#000000!important;"><span class=" " data-="true" " aria-hidden="false" style="background-color:#ffffff!important;color:#000000!imp...
```

```
<a class="header-nav-folder-title " href="/shop-1" data-animation-role="header-element" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use </> to navigate" style="background-color:...
```

```
<a class="header-nav-folder-title " href="/who-we-are" data-animation-role="header-element" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style="background-color:#ffffff!important;color:#000000!impo...
```

```
<a href="/featured-brands" data-animation-role="header-element" data-acsb-menu="a" data-acsb-menu-root-link="true" style="background-color:#ffffff!important;color:#000000!important;"> Featured Brands </a>
```

## Successful Elements

```
<a class="icon icon--fill icon--sm header-icon header-icon-border-shape-one header-icon-border-style-outline" href="https://www.instagram.com/studentmade_utpb/" target="_blank" data-acsb-tooltip="New Window" > <span class=" " data-acsb-tooltip="New Window" > ...
```

```
<a class="icon icon--fill icon--sm header-icon header-icon-border-shape-one header-icon-border-style-outline" href="mailto:studentmadeutpb@gmail.com" target="_blank" aria-label="studentmadeutpb@gmail.com" data-acsb-tooltip="New Window" > ...
```

```
<a class="icon icon--fill icon--sm header-icon header-icon-border-shape-one header-icon-border-style-outline" href="https://www.tiktok.com/@studentmadestore" target="_blank" data-acsb-tooltip="New Window" > <span class=" " data-acsb-tooltip="New Window" > ...
```

```
<a class="icon icon--fill icon--sm header-icon header-icon-border-shape-one header-icon-border-style-outline" href="https://www.linkedin.com/company/student-made-store" target="_blank" data-acsb-tooltip="New Window" > <span class=" " data-acsb-tooltip="New Window" > ...
```

```
<a class="icon icon--fill icon--sm header-icon header-icon-border-shape-one header-icon-border-style-outline" href="https://podcasts.apple.com/us/podcast/student-made-stories/id1665775860?app=podcast" target="_blank" data-acsb-tooltip="New Window" > ...
```

```
<a href="https://www.studentmadestore.com" class="sqs-block-button-element--medium sqs-button-element--primary sqs-block-button-element" target="_blank" data-initialized="true" data-acsb-tooltip="New Window" data-acsb-scrape-url="https://studentm... > ...
```

```
<a href="https://www.studentmadestore.com/studentmade-manager-application" target="_blank" data-acsb-tooltip="New Window" data-acsb-scrape-url="https://studentmadestore.com/studentmade-manager-application"><span class=" " data-acsb-tooltip="New Window" data-acsb-scrape-url="https://studentm... > ...
```

```
<a href="https://www.instagram.com/studentmade_utpb/" target="_blank" class="sqs-svg-icon--wrapper instagram-unauth" data-acsb-tooltip="New Window" > <span class=" " data-acsb-tooltip="New Window" data-acsb-scrape-url="https://studentm... > ...
```

```
<a href="mailto:studentmadeutpb@gmail.com" target="_blank" class="sqs-svg-  
-icon--wrapper email" aria-label="studentmadeutpb@gmail.com" data-acsb-to  
oltip="New Window" > <span class=" " data-="true" " aria-hidden="false" s  
tyle=";background-col...
```

```
<a href="https://www.tiktok.com/@studentmadestore" target="_blank" class  
="sqs-svg-icon--wrapper tiktok-unauth" data-acsb-tooltip="New Window" > <  
span class=" " data-="true" " aria-hidden="false" style=";background-colo  
r:#ffffff!important;co...
```

---

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
---	--	-----	------	---	------

#### Successful Elements

```
<h1 class="Marquee-item Marquee-item--text " style="margin-right: 0.5em;  
font-size: 4rem;;background-color:#ffffff!important;color:#000000!importa  
nt;" data-acsb-original-style="margin-right: 0.5em; font-size: 4rem;"> A  
GROWING NETWORK OF ST...
```

---

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	19	0	100%
---	---	-----	----	---	------

---

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	Yes	13	0	100%
---	--	-----	----	---	------

#### Successful Elements

```
<div class="list-section-title" id="64ebf833e56ccf5d4021f7b9" style="padd  
ing-bottom: 20px;" data-section-title-alignment="center" role="heading" d  
ata-acsb-fake-title="true" aria-level="2" data-acsb-original-style="paddi  
ng-bottom: 20px;"> <p st...
```

```
<p style="white-space:pre-wrap;" data-acsb-original-style="white-space:pr  
e-wrap;">EXPLORE OUR PRODUCTS </p>
```

```
<p style="white-space:pre-wrap;" data-acsb-original-style="white-space:pre-wrap;"><em >Introducing the impressive creators across all years, majors & backgrounds who fuel our mission.</em></p>
```

```
<em >Introducing the impressive creators across all years, majors & backgrounds who fuel our mission.</em>
```

```
<p style="white-space:pre-wrap;" data-acsb-original-style="white-space:pre-wrap;"><em >Big shoutout to the team of students dedicated to the success of Student-Made on campus.</em></p>
```

```
<em >Big shoutout to the team of students dedicated to the success of Student-Made on campus.</em>
```

```
<p style="white-space:pre-wrap;" data-acsb-original-style="white-space:pre-wrap;"><em >What Student-Made is all about... the unique brands behind the student businesses featured.</em></p>
```

```
<em >What Student-Made is all about... the unique brands behind the student businesses featured.</em>
```

```
<p style="white-space:pre-wrap;" data-acsb-original-style="white-space:pre-wrap;"><em >Student-Made is engaging student creators, managers, our campus community & beyond!</em></p>
```

```
<em >Student-Made is engaging student creators, managers, our campus community & beyond!</em>
```

---

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
---	--	----	---	---	---

---

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	2	0	100%
---	---	-----	---	---	------

## Successful Elements

```
<span class="sqs-announcement-bar-close " role="button" tabindex="0" ><span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"> Close Announcement </span></span>
```

```
<div class="sqs-video-icon acsb-bg-image " role="button" tabindex="0" ><span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"> Play </span></div>
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a	No	0	0	-



they become visible.

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	No	0	0	-
16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	-
17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	16	4	80%

### Successful Elements

```

```

```

```

```

```

```
</use>  
...
```

```
<svg viewBox="23 23 64 64" aria-hidden="true" data-acsb-force-hidden="tru  
e" style=";background-color:#ffffff!important;color:#000000!important;"  
<use xlink:href="#email-icon" width="110" height="110" ></use> ...
```

```
<svg viewBox="23 23 64 64" aria-hidden="true" data-acsb-force-hidden="tru  
e" style=";background-color:#ffffff!important;color:#000000!important;"  
<use xlink:href="#tiktok-unauth-icon" width="110" height="110" ></use>
```

```
<svg viewBox="23 23 64 64" aria-hidden="true" data-acsb-force-hidden="true" style=";background-color:#ffffff!important;color:#000000!important;">
<use xlink:href="#linkedin-unauth-icon" width="110" height="110" ></use>
...
```

```
<svg viewBox="23 23 64 64" aria-hidden="true" data-acsb-force-hidden="true" style=";background-color:#ffffff!important;color:#000000!important;">
<use xlink:href="#applepodcast-icon" width="110" height="110" ></use> ...
```

```
<svg class="icon icon--cart " width="61" height="49" viewBox="0 0 61 49"
aria-hidden="true" data-acsb-force-hidden="true" style=";background-color:#ffffff!important;color:#000000!important;" > <path fill-rule="evenodd"
clip-rule="evenodd" d="M0.5 ...
```

```
<span class="chevron chevron--right " aria-hidden="true" data-acsb-force-hidden="true" style=";background-color:#ffffff!important;color:#000000!important;" ></span>
```

```
<svg viewBox="23 23 64 64" aria-hidden="true" data-acsb-force-hidden="true" style=";background-color:#ffffff!important;color:#000000!important;">
<use xlink:href="#instagram-unauth-icon" width="110" height="110" ></use>
...
```

```
<svg viewBox="23 23 64 64" aria-hidden="true" data-acsb-force-hidden="true" style=";background-color:#ffffff!important;color:#000000!important;">
<use xlink:href="#email-icon" width="110" height="110" ></use> </sv...
```

```
<svg viewBox="23 23 64 64" aria-hidden="true" data-acsb-force-hidden="true" style=";background-color:#ffffff!important;color:#000000!important;">
<use xlink:href="#tiktok-unauth-icon" width="110" height="110" ></use>
...
```

21 Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.

Yes

Pass

-

100%

## Successful Elements

```
<figure class=" sqs-block-image-figure intrinsic " style="max-width:810px;" id="yui_3_17_2_1_1693581759726_110" role="none" data-acsb-original-style="max-width:810px;"> ...
```

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	3	0	100%

### Successful Elements

```
<input class="newsletter-form-field-element field-element field-control" name="fname" x-autocompletetype="given-name" type="text" spellcheck="false" placeholder="First Name" maxlength="30" data-title="First" aria-hidden="false" aria-label="First N...
```

```
<input class="newsletter-form-field-element field-element field-control" name="lname" x-autocompletetype="surname" type="text" spellcheck="false" placeholder="Last Name" maxlength="30" data-title="Last" aria-hidden="false" aria-label="Last Name. L...
```

```
<input id="email-yui_3_17_2_1_1679600629347_22843-field" class="newsletter-form-field-element field-element" name="email" x-autocompletetype="email" autocomplete="email" type="email" spellcheck="false" placeholder="Email Address" aria-hidden="false..."
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
----	--	----	---	---	---

26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labelledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	2	0	100%

### Successful Elements

```
<a class="sqs-announcement-bar-url" href="/meet-the-managers" aria-labelledby="announcement-bar-text-inner-id" data-acsb-scrape-url="https://www.studentmadeutpb.com/meet-the-managers"></a>
```

```
<g class="Marquee-hitbox" data-hitbox="" aria-labelledby="ariaLabel5ad72396b3d8ac4cb081" > <g class="Marquee-path-hitbox-group" transform="translate(0, -15.722499999999997)" > <path class="Marquee-path-hitbox" fill="none" stroke...
```

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%
----	---	-----	------	---	------

### Successful Elements

```
<form class="newsletter-form" data-form-id="641cae2229ffa956ad58d620" autocomplete="on" method="POST" onsubmit="return (function (form) { Y.use('squarespace-form-submit', 'node', function usingFormSubmit(Y) { (new Y.Squarespace.FormSubmit(f...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
----	---	----	---	---	---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

### Successful Elements

```
<title>Student-Made UTPB | A GROWING NETWORK OF STUDENT-CREATORS</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

### Successful Elements

```
<html xmlns:og="http://opengraphprotocol.org/schema/" xmlns:fb="http://www.facebook.com/2008/fbml" lang="en-US" class="yui3-js-enabled js-focus-visible wf-broadacreregular0-n3-active wf-brandongrotesque-n4-active wf-brandongrotesque-n7-active wf-bran...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

### Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34	Landmarks such as main content and	Yes	3	0	100%
----	------------------------------------	-----	---	---	------

a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo"

or "main". Landmarks such as search and navigation are tested in other sections.

### Successful Elements

```
<main id="page" class="container" role="main" data-acsb-main="true"> <article class="sections" id="sections" data-page-sections="63a526712262382a4801040e"> <section data-test="page-section" data-section-them...
```

```
<footer class="sections" id="footer-sections" data-footer-sections="" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"> <section data-test="page-section" data-section-theme="bright" class="page-se...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	63	0	100%

### Successful Elements

```
<p style="white-space:pre-wrap;" data-acsb-original-style="white-space:pre-wrap;">WELCOME BACK + MEET THE TEAM BEHIND STUDENT-MADE UTPB!</p>
```

```
<a class="header-nav-folder-title " href="/shop-1" data-animation-role="header-element" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use </> to navigate" style=";background-color:...
```



```
<a class="header-nav-folder-title " href="/who-we-are" data-animation-rol
e="header-element" data-acsb-menu="a" data-acsb-menu-root-link="true" ari
a-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!
important;color:#000000!impo...
```

```
<a href="/featured-brands" data-animation-role="header-element" data-acsb
-menu="a" data-acsb-menu-root-link="true" style=";background-color:#fffff
f!important;color:#000000!important;"> Featured Brands </a>
```

```
<a href="/our-mission" data-animation-role="header-element" data-acsb-men
u="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!im
portant;color:#000000!important;"> Our Mission </a>
```

```
<a href="/join-student-made" data-animation-role="header-element" data-ac
sb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#fff
fff!important;color:#000000!important;"> Join Student-Made </a>
```

```
<span class="sqs-cart-quantity " style=";background-color:#ffffff!importa
nt;color:#000000!important;">0</span>
```

```
<p style="white-space:pre-wrap;" data-acsb-original-style="white-space:pr
e-wrap;">EXPLORE OUR PRODUCTS</p>
```

```
<h2 class="list-item-content__title " style="max-width: 100%;;background-
color:#ffffff!important;color:#000000!important;" role="heading" aria-lev
el="3" data-acsb-original-style="max-width: 100%;">CERAMICS</h2>
```

```
<a class="list-item-content__button sqs-block-button-element sqs-block-bu
tton-element--medium sqs-button-element--primary " href="/shop/pottery" s
tyle=";background-color:#ffffff!important;color:#000000!important;"> SHO
...</a>
```

---

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
----	--	----	---	---	---

label attribute of a screenreader only text

that explains the functionality to screen-readers.

## Successful Elements

```
<button class="user-items-list-carousel__arrow-button user-items-list-carousel__arrow-button--left " data-animation-role="button" role="button"> <span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;colo...
```

```
<button class="user-items-list-carousel__arrow-button user-items-list-carousel__arrow-button--right " data-animation-role="button" role="button"> <span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;col...
```

```
<button class="mobile-arrow-button mobile-arrow-button--left " aria-label=" Previous " data-animation-role="button" tabindex="-1" > <div class="user-items-list-carousel__arrow-icon-background mobile-arrow-icon-background-d-a...
```

```
<button class="mobile-arrow-button mobile-arrow-button--right " aria-label=" Next " data-animation-role="button" tabindex="-1" > <div class="user-items-list-carousel__arrow-icon-background mobile-arrow-icon-background-a rea...
```

```
<button class="user-items-list-carousel__arrow-button user-items-list-carousel__arrow-button--left user-items-list-carousel__arrow-button--hidden " aria-label=" Previous " data-animation-role="button" data-override-initial-glob...
```

```
<button class="user-items-list-carousel__arrow-button user-items-list-carousel__arrow-button--right user-items-list-carousel__arrow-button--hidden " aria-label=" Next " data-animation-role="button" data-override-initial-global-...
```

---

40	<a href="#">A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.</a>	No	0	0	-
----	---	----	---	---	---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-
42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users	Yes	Pass	-	100%

(font-size, colors, spacing, etc.) to their

needs. It is not a compliance requirement, but can help to improve compliance.

---

49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-
----	---	----	---	---	---